

**MET-Alterationen beim nicht-kleinzelligen Lungenkarzinom –
Stand der Diagnostik und Therapie (S. 8–15)**

F. Länger, N. J. Dickgreber

Literatur:

1. Remon J et al. MET alterations in NSCLC-Current Perspectives and Future Challenges. J Thorac Oncol 2022; S1556-0864(22)01865-2
2. Jørgensen JT, Møllerup J. Companion Diagnostics and Predictive Biomarkers for MET-Targeted Therapy in NSCLC. Cancers (Basel) 2022; 14: 2150
3. Paik PK et al. Tepotinib in Non-Small-Cell Lung Cancer with MET Exon 14 Skipping Mutations. N Engl J Med 2020; 383: 931–43
4. Wolf J et al. Capmatinib in MET Exon 14-Mutated or MET-Amplified Non-Small-Cell Lung Cancer. N Engl J Med 2020; 383: 944–57
5. Recondo G, Che J, Jänne PA, Awad MM. Targeting MET Dysregulation in Cancer. Cancer Discov 2020; 10: 922–34
6. Lee JK et al. Characterization of Non-Small-Cell Lung Cancers With MET Exon 14 Skipping Alterations Detected in Tissue or Liquid: Clinicogenomics and Real-World Treatment Patterns. JCO Precis Oncol 2021; 5:PO.21.00122
7. Schildhaus HU et al. MET amplification status in therapy-naïve adeno- and squamous cell carcinomas of the lung. Clin Cancer Res 2015; 21: 907–15
8. Guo R et al. MET IHC Is a Poor Screen for MET Amplification or MET Exon 14 Mutations in Lung Adenocarcinomas: Data from a Tri-Institutional Cohort of the Lung Cancer Mutation Consortium. J Thorac Oncol 2019; 14: 1666–71
9. Camidge DR et al. Phase Ib Study of Telisotuzumab Vedotin in Combination With Erlotinib in Patients With c-Met Protein-Expressing Non-Small-Cell Lung Cancer. J Clin Oncol 2023; 41: 1105–15
10. Fachinformation Tepmetko® (Merck) https://ec.europa.eu/health/documents/community-register/2022/20220216154592/anx_154592_de.pdf / (Zuletzt abgerufen: März 2023)
11. Fachinformation Tabrecta® (Novartis Pharma) (https://www.ema.europa.eu/en/documents/product-information/tabrecta-epar-product-information_de.pdf). (Zuletzt abgerufen: März 2023)
12. Drilon A et al. Antitumor activity of crizotinib in lung cancers harboring a MET exon 14 alteration. Nat Med 2020; 26: 47–51
13. Camidge DR et al. Crizotinib in Patients With MET-Amplified NSCLC. J Thorac Oncol 2021; 16: 1017–29
14. Thomas M, Garassino MC, Felip E Tepotinib in patients with MET exon 14 skipping NSCLC: primary analysis of the confirmatory VISION cohort C. Presented at: International Association for the Study of Lung Cancer 2022 World Conference on Lung Cancer; August 6–9, 2022; Vienna, Austria. Abstract OA03.05

15. Scagliotti G et al. A Randomized-Controlled Phase 2 Study of the MET Antibody Emibetuzumab in Combination with Erlotinib as First-Line Treatment for EGFR Mutation-Positive NSCLC Patients. *J Thorac Oncol* 2020; 15: 80–90
 16. Park K et al. Amivantamab in EGFR Exon 20 Insertion-Mutated Non-Small-Cell Lung Cancer Progressing on Platinum Chemotherapy: Initial Results From the CHRYSALIS Phase I Study. *J Clin Oncol* 2021; 39: 3391–402
 17. Leighl NB et al. 161192MO Amivantamab monotherapy and in combination with lazertinib in post-osimertinib EGFR-mutant NSCLC: Analysis from the CHRYSALIS study. *Ann Oncol* 2021; 32: S951–S952
 18. Cho BC et al. Early safety, tolerability, and efficacy of REGN5093 in patients (pts) with MET-altered advanced non-small cell lung cancer (aNSCLC) from a first in human (FIH) study. *Ann Oncol* 2022; 33: S1085
 19. Desai A, Abdayem P, Adjei AA, Planchard D. Antibody-drug conjugates: A promising novel therapeutic approach in lung cancer. *Lung Cancer* 2022; 163: 96–106
 20. Drilon AE et al. A phase 1/2 study of REGN5093 M114, a METxMET antibody-drug conjugate, in patients with mesenchymal epithelial transition factor (MET)-overexpressing NSCLC. *J Clin Oncol* 2022; 40(16_suppl) TPS8593
 21. Fernandes M et al. When the MET receptor kicks in to resist targeted therapies. *Oncogene* 2021; 40: 4061–78
 22. Seegobin K et al. Immunotherapy in Non-Small Cell Lung Cancer With Actionable Mutations Other Than EGFR. *Front Oncol* 2021; 11:750657
-

Update zur Immuntherapie beim NSCLC (S. 16–21)

T. Notz, N. Reinmuth, T. Duell

Literatur:

1. Leitlinienprogramm Onkologie. Prävention, Diagnostik, Therapie und Nachsorge des Lungenkarzinoms, Langversion 2.1, 2022, AWMF-Registernummer: 020/007OL. (<https://www.leitlinienprogramm-onkologie.de/leitlinien/lungenkarzinom/>). Zugriff am 05.02.2023
2. Reinmuth N et al. Immuntherapie des nichtkleinzelligen Lungenkarzinoms. *Der Onkologe* 2021; 27: 179–90
3. Reck M et al. First-Line Immunotherapy for Non-Small-Cell Lung Cancer. *J Clin Oncol* 2022; 40: 586–97
4. Remon J et al. The POSEIDON Trial: Will Secondary End Points Change Our Clinical Practice? *J Clin Oncol* 2022
5. Reck M et al. Updated Analysis of KEYNOTE-024: Pembrolizumab Versus Platinum-Based Chemotherapy for Advanced Non-Small-Cell Lung Cancer With PD-L1 Tumor Proportion Score of 50% or Greater. *J Clin Oncol* 2019; 37: 537–46
6. Jassem J et al. Updated Overall Survival Analysis From IMpower110: Atezolizumab Versus Platinum-Based Chemotherapy in Treatment-Naive Programmed Death-Ligand 1-Selected NSCLC. *J Thorac Oncol* 2021; 16: 1872–82

7. Gumus M et al. Patient-reported outcomes with cemiplimab monotherapy for first-line treatment of advanced non-small cell lung cancer with PD-L1 of $\geq 50\%$: The EMPOWER-Lung 1 study. *Cancer* 2023; 129: 118-129. doi:10.1002/cncr.34477
8. Gandhi L et al. Pembrolizumab plus Chemotherapy in Metastatic Non-Small-Cell Lung Cancer. *N Engl J Med* 2018; 378: 2078–92
9. Socinski MA et al. IMpower150 Final Overall Survival Analyses for Atezolizumab Plus Bevacizumab and Chemotherapy in First-Line Metastatic Nonsquamous NSCLC. *J Thorac Oncol* 2021; 16: 1909–24
10. Jotte R et al. Atezolizumab in Combination With Carboplatin and Nab-Paclitaxel in Advanced Squamous NSCLC (IMpower131): Results From a Randomized Phase III Trial. *J Thorac Oncol* 2020; 15: 1351–60
11. Spigel D et al. IMpower110: Interim overall survival (OS) analysis of a phase III study of atezolizumab (atezo) vs platinum-based chemotherapy (chemo) as first-line (1L) treatment (tx) in PD-L1–selected NSCLC. *Annals of Oncology* 2019; 30: v851-v934
12. West H et al. Atezolizumab in combination with carboplatin plus nab-paclitaxel chemotherapy compared with chemotherapy alone as first-line treatment for metastatic non-squamous non-small-cell lung cancer (IMpower130): a multicentre, randomised, open-label, phase 3 trial. *Lancet Oncol* 2019; 20: 924–37
13. Paz-Ares L et al. A Randomized, Placebo-Controlled Trial of Pembrolizumab Plus Chemotherapy in Patients With Metastatic Squamous NSCLC: Protocol-Specified Final Analysis of KEYNOTE-407. *J Thorac Oncol* 2020; 15: 1657–69
14. Paz-Ares L et al. First-line nivolumab plus ipilimumab combined with two cycles of chemotherapy in patients with non-small-cell lung cancer (CheckMate 9LA): an international, randomised, open-label, phase 3 trial. *Lancet Oncol* 2021; 22: 198–211
15. Johnson ML et al. Durvalumab With or Without Tremelimumab in Combination With Chemotherapy as First-Line Therapy for Metastatic Non-Small-Cell Lung Cancer: The Phase III POSEIDON Study. *J Clin Oncol* 2022
16. Spigel DR et al. Five-Year Survival Outcomes From the PACIFIC Trial: Durvalumab After Chemoradiotherapy in Stage III Non-Small-Cell Lung Cancer. *J Clin Oncol* 2022; 40: 1301–11
17. Forde PM et al. Neoadjuvant PD-1 Blockade in Resectable Lung Cancer. *N Engl J Med* 2018; 378: 1976–86
18. Forde PM et al. Neoadjuvant Nivolumab plus Chemotherapy in Resectable Lung Cancer. *N Engl J Med* 2022; 386: 1973–85
19. Felip E et al. Adjuvant atezolizumab after adjuvant chemotherapy in resected stage IB-IIIA non-small-cell lung cancer (IMpower010): a randomised, multicentre, open-label, phase 3 trial. *Lancet* 2021; 398: 1344–57
20. Martins F et al. Adverse effects of immune-checkpoint inhibitors: epidemiology, management and surveillance. *Nat Rev Clin Oncol* 2019; 16: 563–80
21. Postow MA et al. Immune-Related Adverse Events Associated with Immune Checkpoint Blockade. *N Engl J Med* 2018; 378: 158–68
22. Akamatsu H et al. Nivolumab retreatment in non-small cell lung cancer patients who responded to prior immune-checkpoint inhibitors and had ICI-free intervals (WJOG9616L). *Clin Cancer Res* 2022
23. Gobbini E et al. Immune Checkpoint Inhibitors Rechallenge Efficacy in Non-Small-Cell Lung Cancer Patients. *Clin Lung Cancer* 2020; 21: e497-e510

24. Giaj Levra M et al. Immunotherapy rechallenge after nivolumab treatment in advanced non-small cell lung cancer in the real-world setting: A national data base analysis. Lung Cancer 2020; 140: 99–106
 25. Schoenfeld AJ & Hellmann MD. Acquired Resistance to Immune Checkpoint Inhibitors. Cancer Cell 2020; 37: 443–55
 26. Sharma P et al. Primary, Adaptive, and Acquired Resistance to Cancer Immunotherapy. Cell 2017; 168: 707–23
 27. Besse B et al. HUDSON: An Open-Label, Multi-Drug, Biomarker-Directed, Phase II Platform Study in Patients with NSCLC, who Progressed on Anti-PD(L)1 Therapy Introduction. J Thorac Oncol 2021. OA07.08
-

Biofaktoren in der komplementären Onkologie: Nicht nur an Vitamin D3 denken (S. 29–33)

D. Birkelbach

Literatur:

1. www.gf-biofaktoren.de
2. www.dge.de/wissenschaft/referenzwerte/vitamin-c/
3. Ma Y et al. High-dose parenteral ascorbate enhanced chemosensitivity of ovarian cancer and reduced toxicity of chemotherapy. Sci Transl Med 2014; 6(222): 222ra18
4. Parrow NL et al. Parenteral ascorbate as a cancer therapeutic: a reassessment based on pharmacokinetics. Antioxid Redox Signal 2013; 19(17): 2141–56
5. Chen Q et al. Pharmacologic doses of ascorbate act as a prooxidant and decrease growth of aggressive tumor xenografts in mice. Proc Natl Acad Sci USA 2008; 105(32): 11105–109
6. Chen Q et al. Pharmacologic ascorbic acid concentrations selectively kill cancer cells: action as a pro-drug to deliver hydrogen peroxide to tissues. Proc Natl Acad Sci USA 2005; 102(38): 13604–609
7. Verrax J et al. Pharmacologic concentrations of ascorbate are achieved by parenteral administration and exhibit antitumoral effects. Free Radic Biol Med 2009; 47(1): 32–40
8. Creagan ET et al. Failure of high-dose vitamin C (ascorbic acid) therapy to benefit patients with advanced cancer. A controlled trial. N Engl J Med 1979; 301(13): 687–90
9. Moertel CG et al. High-dose vitamin C versus placebo in the treatment of patients with advanced cancer who have had no prior chemotherapy. A randomized double-blind comparison. N Engl J Med 1985; 312(3): 137–41
10. Jacobs C et al. Is there a role for oral or intravenous ascorbate (vitamin C) in treating patients with cancer? A systematic review. Oncologist 2015; 20(2): 210–23
11. <https://www.leitlinienprogramm-onkologie.de/leitlinien/komplementaermedizin/> (Letzter Zugriff: 02.01.2023)
12. <https://www.cancer.gov/research/key-initiatives/ras/ras-central/blog/2020/yun-cantley-vitamin-c> (Letzter Zugriff: 02.01.2023)

13. Ohno S et al. High-dose vitamin C (ascorbic acid) therapy in the treatment of patients with advanced cancer. *Cancer Res* 2009; 29(3): 809–15
 14. Nauman G et al. Systematic Review of Intravenous Ascorbate in Cancer Clinical Trials. *Antioxidants (Basel)* 2018; 7(7): 89
 15. Mohseni S et al. Effect of vitamins C and E on cancer survival; a systematic review. *Daru* 2022; 30(2): 427–41
 16. Fritz H et al. Intravenous Vitamin C and Cancer: A Systematic Review. *Integr Cancer Ther* 2014; 13(4): 280–300
 17. Bazzan AJ et al. Retrospective Evaluation of Clinical Experience With Intravenous Ascorbic Acid in Patients With Cancer. *Cancer Ther* 2018; 17(3): 912–20
 18. Zasowska-Nowak A et al. High-Dose Vitamin C in Advanced-Stage Cancer Patients. *Nutrients* 2021; 13(3): 735
 19. Sutherland JP et al. Vitamin D Deficiency increases mortality risk in the UK Biobank. *Ann Internal Med* 2022; 175(11): 1552–59
 20. Prasad AS et al. Zinc in cancer prevention. *Nutr Cancer* 2009; 61(6): 879–87
 21. Gelbard A. Zinc in cancer therapy revisited. *Isr Med Assoc J* 2022; 24(4): 258–62
 22. Choi S et al. Selective inhibitory effects of zinc on cell proliferation in esophageal squamous cell carcinoma through Orai1. *FASEB J* 2018; 32(1): 404–16
 23. Kwak JH et al. Dietary zinc intake and mortality in patients with intestinal-type gastric cancer: A prospective cohort study in Korea. *Front Oncol* 2022; 12: 947405
 24. Hoppe C et al. Zinc as a complementary treatment for cancer patients: a systematic review. *Clin Exp Med* 2021; 21(2): 297–313
-

Update: Aktuelles zum Endometriumkarzinom (S. 35–40)

E.-M. Grischke

Literatur:

1. World Health Organization (WHO), International Agency for Research on Cancer (2020) Cancer Today - Cancer Incidence and Mortality. (<https://gco.iarc.fr/today/home>). Zugriffen am 20.02.23
2. Robert Koch-Institut (RKI) und die Gesellschaft der epidemiologischen Krebsregister in Deutschland e. V. (GEKID)(Hrsg.) (2019) Krebs in Deutschland 20 World Health Organization (WHO), International Agency for Research on Cancer (2020) Cancer Today - Cancer Incidence and Mortality. (<https://gco.iarc.fr/today/home>). Zugriffen am 20.02.23
3. Kandoth C et al. Integrated genomic characterization of endometrial carcinoma; *Nature* 2013; 497: 67–73
4. Galaal K et al. Laparoscopy versus laparotomy for the management of early stage endometrial cancer. *Cochrane Database Syst Rev* 2018; 10: CD006655

5. Janda M et al. Effect of Total Laparoscopic Hysterectomy vs Total Abdominal Hysterectomy on Disease-Free Survival Among Women with Stage I Endometrial Cancer: A Randomized Clinical Trial. *JAMA* 2017; 317(12): 1224–33
6. Walker JL et al. Recurrence and survival after random assignment to laparoscopy versus laparotomy for comprehensive surgical staging of uterine cancer: Gynecologic Oncology Group LAP2 Study. *J Clin Oncol* 2012; 30(7): 695–700
7. Dai Y et al. Survival of microsatellite-stable endometrioid endometrial cancer patients after minimally invasive surgery: An analysis of the Cancer Genome Atlas data. *Gynecol Oncol* 2020; 158(1): 92–8
8. Colombo N et al. (2016) ESMO-ESGO-ESTRO Consensus Conference on Endometrial Cancer: diagnosis, treatment and follow-up. *Ann Oncol* 27(1): 16–41
9. Colombo N et al. ESMO-ESGO-ESTRO Consensus Conference on Endometrial Cancer: Diagnosis, Treatment and Follow-up. *Int J Gynecol Cancer* 2016; 26(1): 2–30
10. Wortman BG et al. (2018) Molecular-integrated risk profile to determine adjuvant radiotherapy in endometrial cancer: Evaluation of the pilot phase of the PORTEC-4a trial *Gynecol Oncol* 2018; 151: 69–75
11. van den Heerik ASVM et al. PORTEC-4a: international randomized trial of molecularprofile-based adjuvant treatment for women with high intermediate risk endometrial cancer. *Int J Gynecol Cancer* 2020; 30: 2002–7
12. de Boer SM et al. Adjuvant chemoradiotherapy versus radiotherapy alone for wome with high-risk endometrial cancer (PORTEC-3): final results of an international, open-label, multicentre, randomised, phase 3 trial. *Lancet Oncol* 2018; 19: 295–309
13. Bosse T et al. L1 cell adhesion molecule is a strong predictor for distant recurrence and overall survival in early stage endometrial cancer: Pooled PORTEC trial results. *Eur J Cancer* 2014; 50: 2602–10
14. Matei D et al. Adjuvant Chemotherapy plus Radiation for Locally Advanced Endometrial Cancer. *N Engl J Med* 2019; 380: 2317–26
15. Salvesen HB et al. Prognostic Significance of Angiogenesis and Ki-67, p53, and p21 Expression: A Population-Based Endometrial Carcinoma Study. *J Clin Oncol* 1999; 17: 1382
16. Oaknin A et al. Clinical Activity and Safety of the Anti-Programmed Death 1 Monoclonal Antibody Dostarlimab for Patients with Recurrent or Advanced Mismatch Repair-Deficient Endometrial Cancer: A Nonrandomized Phase 1 Clinical Trial. *JAMA Oncol* 2020; 6: 1766–772
17. Makker V et al. A multicenteropen-label, randomized, phase 3 study to compare the efficacy and safety of lenvatinib in combination with pembrolizumab vs treatment of physician’s choice in patients with advanced endometrial cancer: Study 309/KEYNOTE- 775. *Gynecol Oncol SGO2021*; #11512
18. Makker V et al. Lenvatinib Plus Pembrolizumab in Patients with Advanced Endometrial Cancer. *J Clin Oncol* 2020; 38: 2981–92
19. Decruze SB & Green JA. Hormone therapy in advanced and recurrent endometrial cancer: a systematic review. *Int. J Gynecol Cancer* 2007; 17: 964–78
20. Lentz SS et al. High-dose megestrol acetate in advanced or recurrent endometrial carcinoma: a Gynecologic Oncology Group Study. *J Clin Oncol* 1996; 14: 357–361
21. Mirza MR et al. LBA28 – A randomized double-blind placebo- controlled phase II trial of palbociclib combined with letrozole (L) in patients (pts) with oestrogen receptor-positive (ER+) advanced/recurrent endometrial cancer (EC): NSGO-PALEO/ENGOT-EN3 trial. *Ann Oncol* 2020; 31: 1142–215