

Früherkennung bei familiärer Brustkrebsdisposition: Wie viel und was ist gut für die Ratsuchende? (S. 9–18)

F. Dammann, S. Ditz

Literatur:

1. S3-Leitlinie Früherkennung, Diagnose, Therapie und Nachsorge des Mammakarzinoms. Version 4.3. 2020. AWMF-Registernummer: 032-045OL. (<http://www.leitlinienprogramm-onkologie.de/leitlinien/mammakarzinom>). Zugriffen am 03.11.2022
2. Arbeitsgemeinschaft Gynäkologische Onkologie e. V. Früherkennung und Diagnostik. (<https://www.ago-online.de/leitlinien-empfehlungen/leitlinien-empfehlungen/kommission-mamma>). Zugriffen am 03.11.2022
3. Deutsches Konsortium Familiärer Brust- und Eierstockkrebs. Konsensusempfehlungen des Konsortiums (Stand 2022). (<https://www.konsortium-familiaerer-brustkrebs.de/konsensusempfehlung/>). Zugriffen am 03.11.2022
4. Robert Koch-Institut, Zentrum für Registerdaten. Brust- krebs (Mammakarzinom). ([https://www.krebsdaten.de/Krebs/DE/Content/Krebsarten/Brustkrebs/brustkrebs_no_de.html#:~:text=Brustkrebs%20\(Mammakarzinom\)&text=Mit%20zuletzt%20rund%2071.375%20Neuerkrankungen,Prozent%20aller%20Neuerkrankungen%20betri%EF%AC%80t%20M%C3%A4nner.\)](https://www.krebsdaten.de/Krebs/DE/Content/Krebsarten/Brustkrebs/brustkrebs_no_de.html#:~:text=Brustkrebs%20(Mammakarzinom)&text=Mit%20zuletzt%20rund%2071.375%20Neuerkrankungen,Prozent%20aller%20Neuerkrankungen%20betri%EF%AC%80t%20M%C3%A4nner.))). Zugriffen am 03.11.2022
5. Antoniou A et al. Average risks of breast and ovarian cancer associated with BRCA1 or BRCA2 mutations detected in case Series unselected for family history: a combined analysis of 22 studies. *Am J Hum Genet* 2003; 72: 1117–30
6. Goldberg JI & Borgen PI. Breast cancer susceptibility testing: past, present and future. *Expert Rev Anticancer Ther* 2006; 6: 1205–14
7. Engel C et al. Breast cancer risk in BRCA1/2 mutation carriers and noncarriers under prospective intensified surveillance. *Int J Cancer* 2020; 146: 999–1009
8. Fachal L et al. Fine-mapping of 150 breast cancer risk regions identifies 191 likely target genes. *Nat Genet* 2020; 52: 56–73
9. Dorling L et al. Breast Cancer Association Consortium. Breast Cancer Risk Genes - Association Analysis in More than 113,000 Women. *N Engl J Med* 2021; 384: 428–39
10. Hu C et al. A Population-Based Study of Genes Previously Implicated in Breast Cancer. *N Engl J Med* 2021; 384: 440–51
11. Yang X et al. Ovarian and Breast Cancer Risks Associated With Pathogenic Variants in RAD51C and RAD51D. *J Natl Cancer Inst* 2020; 112: 1242–50
12. Alm El-Din MA et al. Breast cancer after treatment of Hodgkin's lymphoma: risk factors that really matter. *Int J Radiat Oncol Biol Phys* 2009; 73: 69–74
13. Preston DL et al. Radiation effects on breast cancer risk: a pooled analysis of eight cohorts. *Radiat Res* 2002; 158: 220–35
14. Travis LB et al. Cumulative absolute breast cancer risk for young women treated for Hodgkin lymphoma. *J Natl Cancer Inst* 2005; 97: 1428–1437.
15. Tyrer J, Duffy SW, Cuzick J. A breast cancer prediction model incorporating familial and personal risk factors. *Stat Med* 2004; 23: 1111–30

16. Ikonopedia. IBIS (International Breast Cancer Intervention Study). Online Tyrer-Cuzick model breast cancer risk evaluation tool – IBIS risk assessment tool v8 .0b. (<https://ibis.ikonopedia.com/>). Zugriffen am 03.11.2022
 17. Bundesministerium für Gesundheit. Krebsfrüherkennungsuntersuchung in der gesetzlichen Krankenversicherung (§ 25 Abs. 2 SGB V) /Mammographie. Informationsblatt Nr. 315-02. ([https://www.bundesgesundheitsministerium.de/fileadmin/Dateien/3_Downloads/M/Mammografie/Infoblatt_Krebsfrueherkennung_Mammographie .pdf](https://www.bundesgesundheitsministerium.de/fileadmin/Dateien/3_Downloads/M/Mammografie/Infoblatt_Krebsfrueherkennung_Mammographie.pdf)). Zugriffen 03.11.2022
 18. Deutsches Konsortium Familiärer Brust- und Eierstockkrebs. Intensivierte Früherkennung. Früherkennung durch moderne Bildgebung. (<https://www.konsortium-familiaerer-brustkrebs.de/betreuungskonzept/praevention/intensivierte-frueherkennung/>). Zugriffen am 03.11.2022
 19. Jakub JW et al. Oncologic Safety of Prophylactic Nipple- Sparing Mastectomy in a Population With BRCA Mutations: A Multi-institutional Study. JAMA Surg 2018; 153: 123–9
 20. Jeffers L et al. Interventions to improve psychosocial well-being in female BRCA-mutation carriers following risk-reducing surgery. Cochrane Database Syst Rev 2019; 10: CD012894
 21. Scheepens JCC et al. Contralateral prophylactic mastectomy: A narrative review of the evidence and acceptability. Breast 2021; 56: 61–9
 22. Bick U et al. German Consortium for Hereditary Breast and Ovarian Cancer (GC-HBOC). High-risk breast cancer surveillance with MRI: 10-year experience from the German consortium for hereditary breast and ovarian cancer. Breast Cancer Res Treat 2019; 175: 217–28
 23. Göttsche E. Erbliche Krebsdisposition: Familienplanung zwischen Angst und Verantwortung. EHK 2010; 59: 189–98
 24. Langewitz W. Patientenzentrierte Kommunikation. In: Adler RH, Herzog W, Joraschky P, Köhle K, Langewitz W, Söllner W, Wesiak W, Hrsg. Uexküll, Psychosomatische Medizin. Theoretische Modelle und klinische Praxis. München: Urban & Fischer; 2011. S. 338–47
-

Der HER2-Rezeptor beim Mammakarzinom: eine Erfolgsgeschichte ist noch nicht zu Ende (S. 19–24)

N. Tauber, A. Niendorf, C. Lindner

Literatur:

1. Robert Koch-Institut. Krebs in Deutschland 2017/2018: Gesellschaft der epidemiologischen Krebsregister in Deutschland e.V., ; 2019. (https://www.krebsdaten.de/Krebs/DE/Content/Publikationen/Krebs_in_Deutschland/kid_2021/kid_2021_c50_brust.pdf?__blob=publicationFile)
2. Shih C et al. Transforming genes of carcinomas and neuroblastomas introduced into mouse fibroblasts. Nature 1981; 290(5803): 261–4
3. Perou CM et al. Molecular portraits of human breast tumours. Nature 2000; 406(6797): 747–52
4. Lindner C. Mammakarzinom im Wandel. Hamburger Ärzteblatt 2012; 11/12: 12–7

5. Yarden Y. Biology of HER2 and its importance in breast cancer. *Oncology* 2001; 61 Suppl 2: 1–13
6. Yarden Y & Sliwkowski MX. Untangling the ErbB signalling network. *Nature Reviews Molecular Cell Biology* 2001; 2(2): 127–37
7. King CR et al. Amplification of a novel v-erbB-related gene in a human mammary carcinoma. *Science* 1985; 229(4717): 974–6
8. Reese DM & Slamon DJ. HER-2/neu signal transduction in human breast and ovarian cancer. *Stem Cells* 1997; 15(1): 1–8
9. Benz CC et al. Estrogen-dependent, tamoxifen-resistant tumorigenic growth of MCF-7 cells transfected with HER2/neu. *Breast Cancer Res Treat* 1992; 24(2): 85–95
10. Weigelt B & Reis-Filho JS. Activating mutations in HER2: neu opportunities and neu challenges. *Cancer Discov* 2013; 3(2): 145–7
11. Bose R et al. Activating HER2 mutations in HER2 gene amplification negative breast cancer. *Cancer Discov* 2013; 3(2): 224–37
12. Kreipe H & Sinn P. Prädiktive Mutationsdiagnostik bei Mammakarzinomen. *Die Pathologie* 2021; 42: 399–404
13. Ali SM et al. Response of an ERBB2-mutated inflammatory breast carcinoma to human epidermal growth factor receptor 2-targeted therapy. *J Clin Oncol* 2014; 32(25): e88–91
14. Filho OM et al. Impact of HER2 Heterogeneity on Treatment Response of Early-Stage HER2-Positive Breast Cancer: Phase II Neoadjuvant Clinical Trial of T-DM1 Combined with Pertuzumab. *Cancer Discov* 2021; 11(10): 2474–87
15. Slamon DJ et al. Use of Chemotherapy plus a Monoclonal Antibody against HER2 for Metastatic Breast Cancer That Overexpresses HER2. *New England Journal of Medicine* 2001; 344(11): 783–92
16. Marczyk VR et al. Overall Survival for HER2-Positive Breast Cancer Patients in the HER2-Targeted Era: Evidence From a Population-Based Study. *Clin Breast Cancer* 2022; 22(5): 418–23
17. Guimaraes Koch SS et al. International nonproprietary names for monoclonal antibodies: an evolving nomenclature system. *MAbs* 2022; 14(1): 2075078
18. Oh D-Y & Bang Y-J. HER2-targeted therapies — a role beyond breast cancer. *Nature Reviews Clinical Oncology* 2020; 17(1): 33–48
19. Rainer Böger JH. Biologika- wie sie Medizin verändern. *Hamburger Ärzteblatt* 2023; 03/2023: 12–7
20. Wolff AC et al. HER2 Testing in Breast Cancer: American Society of Clinical Oncology/College of American Pathologists Clinical Practice Guideline Focused Update Summary. *J Oncol Pract* 2018; 14(7): 437–41
21. Garcia-Alvarez A et al. Brain Metastases in HER2-Positive Breast Cancer: Current and Novel Treatment Strategies. *Cancers* 2021; 13(12): 2927
22. Leone JP & Leone BA. Breast cancer brain metastases: the last frontier. *Exp Hematol Oncol* 2015; 4: 33
23. Tarantino P et al. HER2-Low Breast Cancer: Pathological and Clinical Landscape. *Journal of Clinical Oncology* 2020; 38(17): 1951–62
24. Schettini F et al. Clinical, pathological, and PAM50 gene expression features of HER2-low breast cancer. *npj Breast Cancer* 2021; 7(1)
25. Denkert C et al. Clinical and molecular characteristics of HER2-low-positive breast cancer: pooled analysis of individual patient data from four prospective, neoadjuvant clinical trials. *Lancet Oncol* 2021; 22(8): 1151–61

26. Hurvitz SA et al. Trastuzumab deruxtecan versus trastuzumab emtansine in patients with HER2-positive metastatic breast cancer: updated results from DESTINY-Breast03, a randomised, open-label, phase 3 trial. *Lancet* 2023; 401(10371): 105–17
 27. Modi S et al. Trastuzumab Deruxtecan in Previously Treated HER2-Low Advanced Breast Cancer. *New England Journal of Medicine* 2022; 387(1): 9–20
 28. Schneider D & Richling F. Trastuzumab-Deruxtecan. In: Schneider D, Richling F, editors. *Datenbank Arzneimittel*: Georg Thieme Verlag KG; 2023
 29. Trail PA et al. Antibody drug conjugates for treatment of breast cancer: Novel targets and diverse approaches in ADC design. *Pharmacol Ther* 2018; 181: 126–42
 30. Harbeck N & Schneeweiss A. *DrugReport Trastuzumab-Deruxtecan*. Drug Report Thieme 2022
 31. Murthy RK et al. Tucatinib, Trastuzumab, and Capecitabine for HER2-Positive Metastatic Breast Cancer. *New England Journal of Medicine* 2019; 382(7): 597–609
 32. Astra Zeneca. First HER2-directed medicine to be approved for gastric cancer in the EU in more than a decade 2022. (<https://www.astrazeneca.com/media-centre/press-releases/2022/enhertu-approved-in-eu-for-gastric-cancer.html>)
 33. agency Em. Assessment Report Yervoy (Ipilimumab). 2011
-

Indol-3-Carbinol – ein Blockbuster in der Prävention und Behandlung von Brustkrebs? (S. 25–32)

M. Kraft, B. Pfeifer

Literatur:

1. Kocarnik JM et al. Cancer incidence, mortality, years of life lost, years lived with disability, and disability-adjusted life years for 29 cancer groups from 2010 to 2019: A systematic analysis for the Global Burden of Disease Study 2019. *JAMA Oncol* 2022; 8: 420–44
2. Sung H et al. Global Cancer Statistics 2020: GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries. *CA Cancer J Clin* 2021; 71: 209–49
3. Waks AG, Winer EP. Breast Cancer Treatment. *JAMA* 2019; 321: 288
4. Hon JDC et al. Breast cancer molecular subtypes: from TNBC to QNBC. *Am J Cancer Res* 2016; 6(9): 1864–72
5. Rosen LS et al. Targeting signal transduction pathways in metastatic breast cancer: a comprehensive review. *Oncologist* 2010; 15(3): 216–35
6. Zou H et al. Roles of plant-derived bioactive compounds and related microRNAs in cancer therapy. *Phytother Res* 2021; 35: 1176–86
7. Iqbal J et al. Plant-derived anticancer agents: A green anticancer approach. *Asian Pac J Trop Biomed* 2017; 7: 1129–50
8. Leitzmann C. Characteristics and health benefits of phytochemicals. *Complementary Med Res* 2016; 23: 69–74
9. Avato P et al. Activity of saponins from *Medicago* species against HeLa and MCF-7 cell lines and their capacity to potentiate cisplatin effect. *Anti-Cancer Agents Med Chem (Former Curr Med Chem-Anti-Cancer Agents)* 2017; 17: 1508–18

10. Joshi P et al. Natural alkaloids as P-gp inhibitors for multidrug resistance reversal in cancer. *Eur J Med Chem* 2017; 138: 273–92
11. Talib WH. Anticancer and antimicrobial potential of plant-derived natural products. In *Phytochemicals –Bioactivities and Impact on Health*; Rasooli, I., Ed.; InTech: Rijeka, Croatia, 2011; pp. 141–58
12. Talib WH et al. Plant-Derived Natural Products in Cancer Research: Extraction, Mechanism of Action, and Drug Formulation. *Molecules* 2020; 25: 5319
13. Rayan A et al. Nature is the best source of anticancer drugs: Indexing natural products for their anticancer bioactivity. *PLoS ONE* 2017; 12: e0187925.
14. Thakore P et al. A brief review of plants having anti-cancer property. *Int J Pharm Res Dev* 2012; 3: 129–36
15. Tariq A et al. A systematic review on ethnomedicines of anti-cancer plants. *Phytother Res* 2017; 31: 202–64
16. Hayes JD et al. The cancer chemopreventive actions of phytochemicals derived from glucosinolates. *Eur J Nutr* 2008; 47 Suppl 2: 73–88
17. Hecht SS. Inhibition of carcinogenesis by isothiocyanates. *Drug Metab Rev* 2000; 32: 395–411
18. Higdon JV et al. Cruciferous vegetables and human cancer risk: epidemiologic evidence and mechanistic basis. *Pharmacol Res* 2007; 55: 224–36
19. Kirsh VA et al. Prospective study of fruit and vegetable intake and risk of prostate cancer. *J Natl Cancer Inst* 2007; 99: 1200–9
20. Kolonel LN et al. Vegetables, fruits, legumes and prostate cancer: a multi-ethnic case-control study. *Cancer Epidemiol Biomarkers Prev* 2000; 9: 795–804
21. Ambrosone CB et al. Breast cancer risk in premenopausal women is inversely associated with consumption of broccoli, a source of isothiocyanates, but is not modified by GST genotype. *J Nutr* 2004; 134: 1134–8
22. Bell MC et al. Placebo-controlled trial of indole-3-carbinol in the treatment of CIN. *Gynecol Oncol* 2000; 78: 123–9
23. Cohen JH et al. Fruit and vegetable intakes and prostate cancer risk. *J Natl Cancer Inst* 2000; 92: 61–8
24. Giovannucci E et al. A prospective study of cruciferous vegetables and prostate cancer. *Cancer Epidemiol Biomarkers Prev* 2003; 12: 1403–9
25. Murillo G, Mehta RG: Cruciferous vegetables and cancer prevention. *Nutr Cancer* 2001; 41: 17–28
26. Voorrips LE et al. Vegetable and fruit consumption and lung cancer risk in the Netherlands Cohort Study on diet and cancer. *Cancer Causes Control* 2000; 11: 101–15
27. Bradlow H et al. Effect of dietary indole-3-carbinol on estradiol metabolism and spontaneous mammary tumors in mice. *Carcinogenesis* 1991; 12: 1571–4
28. Chang X et al. 3,3'-Diindolylmethane inhibits angiogenesis and the growth of transplantable human breast carcinoma in athymic mice. *Carcinogenesis* 2005; 26: 771–8
29. Kojima T et al. Chemoprevention of spontaneous endometrial cancer in female Donryku rats by dietary indole-3-carbinol. *Cancer Res* 1994; 5: 1446–9
30. Rahman KM et al. Indole-3- carbinol (I3C) induces apoptosis in tumorigenic but not in nontumorigenic breast epithelial cells. *Nutr Cancer* 2003; 45: 101–12
31. Souli E et al. Indole-3-carbinol (I3C) exhibits inhibitory and preventive effects on prostate tumors in mice. *Food Chem Toxicol* 2008; 46: 815–28

32. Wattenberg LW, Loub WD. Inhibition of polycyclic aromatic hydrocarbon-induced neoplasia by naturally occurring indoles. *Cancer Res* 1978; 38: 1410–3
33. Smith-Warner SA et al. Intake of fruits and vegetables and risk of breast cancer: a pooled analysis of cohort studies. *JAMA* 2001; 285: 769–76
34. Liu X, Lv K. Cruciferous vegetables intake is inversely associated with risk of breast cancer: a meta-analysis. *Breast* 2013; 22: 309–13
35. Rock CL et al. Longitudinal biological exposure to carotenoids is associated with breast cancer-free survival in the Women's Healthy Eating and Living Study. *Cancer Epidemiol Biomarkers Prev* 2009; 18(2): 486–94
36. Maina S et al. Human, animal, and plant health benefits of glucosinolates and strategies for enhanced bioactivity: a systematic review. *Molecules* 2020; 25:163682
37. Shakour ZT et al. Metabolic and biotransformation effects on dietary glucosinolates, their bioavailability, catabolism, and biological effects in different organisms. *Biotechnol Adv* 2022; 54:107784
38. Casajús V et al. Harvesting at different time-points of day affects glucosinolate metabolism during postharvest storage of broccoli. *Food Res Int* 2020; 136:109529
39. Palermo M et al. The effect of cooking on the phytochemical content of vegetables. *J Sci Food Agric* 2014; 94(6): 1057–70
40. Campbell LD, Slominski BA. Extent of thermal decomposition of indole glucosinolates during the processing of canola seed. *J Am Oil Chem Soc* 1990; 67(2): 73–5
41. Shapiro TA et al. Human metabolism and excretion of cancer chemoprotective glucosinolates and isothiocyanates of cruciferous vegetables. *Cancer Epidemiol Biomarkers Prev* 1998; 7(12): 1091–100
42. Holst B, Williamson GA. A critical review of the bioavailability of glucosinolates and related compounds. *Nat Prod Rep* 2004; 21: 425–47
43. Stoewsand GS. Bioactive organosulfur phytochemicals in Brassica oleracea vegetables - A review. *Food Chem Toxicol* 1995; 33: 537–43
44. Kassie F et al. Genotoxic effects of benzyl isothiocyanate: a natural chemopreventive agent. *Mutagenesis* 1999; 14: 595–604
45. Karin M, Greten FR. NF-kappaB: Linking inflammation and immunity to cancer development and progression. *Nat Rev Immunol* 2005; 5: 749–59
46. Karin M. Nuclear factor-kappaB in cancer development and progression. *Nature* 2006; 441: 431–6
47. Haefner B. NF-kappa B: Arresting a major culprit in cancer. *Drug Discov Today* 2002; 7: 653–63
48. Song QQ et al. Characterization of LTr1 derived from cruciferous vegetables as a novel anti-glioma agent via inhibiting TrkA/PI3K/AKT pathway. *Acta Pharmacol Sin* 2022
49. Yuan L et al. Promoting Apoptosis, a Promising Way to Treat Breast Cancer with Natural Products: A Comprehensive Review. *Front Pharmacol* 2022; 12: 801662
50. Aggarwal BB, Ichikawa H. Molecular targets and anticancer potential of indole-3-carbinol and its derivatives. *Cell Cycle* 2005; 4: 1201–15
51. Chinni SR et al. Indole-3-carbinol (I3C) induced cell growth inhibition, G1 cell cycle arrest and apoptosis in prostate cancer cells. *Oncogene* 2001; 20: 2927–36
52. Cover CM et al. Indole-3-carbinol inhibits the expression of cyclin-dependent kinase-6 and induces a G1 cell cycle arrest of human breast cancer cells independent of estrogen receptor signaling. *J Biol Chem* 1998; 273: 3838–47
53. Firestone GL, Bjeldanes LF. Indole-3-carbinol and 3,3'-diindolylmethane antiproliferative signaling pathways control cell-cycle gene transcription in human

- breast cancer cells by regulating promoter-Sp1 transcription factor interactions. *J Nutr* 2003; 133: 2448–55
54. Garcia HH et al. Indole-3-carbinol (I3C) inhibits cyclin-dependent kinase-2 function in human breast cancer cells by regulating the size distribution, associated cyclin E forms, and subcellular localization of the CDK2 protein complex. *J Biol Chem* 2005; 280: 8756–64
 55. Hong C et al. Bcl-2 family-mediated apoptotic effects of 3,3'-diindolylmethane (DIM) in human breast cancer cells. *Biochem Pharmacol* 2002; 63: 1085–97
 56. Hong C et al. 3,3'-Diindolylmethane (DIM) induces a G(1) cell cycle arrest in human breast cancer cells that is accompanied by Sp1-mediated activation of p21(WAF1/CIP1) expression. *Carcinogenesis* 2002; 23: 1297–305
 57. Kim SJ et al. 3,3'-Diindolylmethane suppresses growth of human esophageal squamous cancer cells by G1 cell cycle arrest. *Oncol Rep* 2012; 27: 1669–73
 58. Ahmad A et al. Anticancer properties of indole compounds: Mechanism of apoptosis induction and role in chemotherapy. *Curr Drug Targets* 2010; 11: 652–66
 59. McGuire KP et al. 3,3'-diindolylmethane and paclitaxel act synergistically to promote apoptosis in HER2/Neu human breast cancer cells. *J Surg Res* 2006; 132: 208–13
 60. Wang H et al. Enhanced efficacy of gemcitabine by indole-3-carbinol in pancreatic cell lines: the role of human equilibrative nucleoside transporter 1. *Anticancer Res* 2011; 31: 3171–80
 61. Banerjee S et al. 3, 3'-Diindolylmethane enhances chemosensitivity of multiple chemotherapeutic agents in pancreatic cancer. *Cancer Res* 2009; 69: 5592–5600
 62. Christensen JG, LeBlanc GA. Reversal of multidrug resistance in vivo by dietary administration of the phytochemical indole-3-carbinol. *Cancer Res* 1996; 56: 574–81
 63. Zhang J et al. 3,3'-Diindolylmethane Enhances Fluorouracil Sensitivity via Inhibition of Pyrimidine Metabolism in Colorectal Cancer. *Metabolites* 2022; 12(5): 410
 64. Hajra S et al. Indole-3-Carbinol (I3C) enhances the sensitivity of murine breast adenocarcinoma cells to doxorubicin (DOX) through inhibition of NF- κ B, blocking angiogenesis and regulation of mitochondrial apoptotic pathway. *Chem Biol Interact* 2018; 290:19–36
 65. Krajka-Kuźniak V, Baer-Dubowska W. Modulation of Nrf2 and NF- κ B Signaling Pathways by Naturally Occurring Compounds in Relation to Cancer Prevention and Therapy. Are Combinations Better Than Single Compounds? *Int J Mol Sciences* 2021; 22(15): 8223
 66. Ahmad A et al. 3,3'-diindolylmethane Enhances the Effectiveness of Herceptin against HER-2/Neu-Expressing Breast Cancer Cells. *PLoS ONE* 2013; 8: e54657
 67. Malejka-Giganti D et al. Suppression of mammary gland carcinogenesis by post-initiation treatment of rats with tamoxifen or indole-3-carbinol or their combination. *Eur J Cancer Prev* 2007; 16: 130–41
 68. Taylor-Harding B et al. Indole-3-carbinol synergistically sensitises ovarian cancer cells to bortezomib treatment. *Br J Cancer* 2012; 106: 333–43
 69. Li Y, Li X, Guo B. Chemopreventive agent 3,3'-diindolylmethane selectively induces proteasomal degradation of class I histone deacetylases. *Cancer Res* 2010; 70: 646–54
 70. Wortelboer HM et al. Acid reaction products of indole-3-carbinol and their effects on cytochrome P450 and phase II enzymes in rat and monkey hepatocytes. *Biochem Pharmacol* 1992; 43: 1439–47
 71. Saw CL et al. Pharmacodynamics of dietary phytochemical indoles I3C and DIM: Induction of Nrf2-mediated phase II drug metabolizing and antioxidant genes and synergism with isothiocyanates. *Biopharm Drug Dispos* 2011; 32: 289–300

72. Gross-Steinmeyer K et al. Modulation of aflatoxin B1-mediated genotoxicity in primary cultures of human hepatocytes by diindolylmethane, curcumin, and xanthohumols. *Toxicol Sci* 2009; 112: 303–10
73. Fan S et al. Low concentrations of diindolylmethane, a metabolite of indole-3-carbinol, protect against oxidative stress in a BRCA1-dependent manner. *Cancer Res* 2009; 69: 6083–91
74. Li Y et al. Antioxidant function of isoflavone and 3,3'-diindolylmethane: are they important for cancer prevention and therapy? *Antioxid Redox Signal* 2013; 19: 139–50
75. Cho HJ et al. 3,3'-Diindolylmethane suppresses the inflammatory response to lipopolysaccharide in murine macrophages. *J Nutr* 2008; 138: 17–23
76. Kim HW et.al. 3,3'-Diindolylmethane inhibits lipopolysaccharide-induced microglial hyperactivation and attenuates brain inflammation. *Toxicol Sci* 2014; 137: 158–67
77. Wang Z et al. Down-regulation of notch-1 inhibits invasion by inactivation of nuclear factor-kappaB, vascular endothelial growth factor, and matrix metalloproteinase-9 in pancreatic cancer cells. *Cancer Res* 2006; 66: 2778–84
78. Moiseeva EP et al. Extended treatment with physiologic concentrations of dietary phytochemicals results in altered gene expression, reduced growth, and apoptosis of cancer cells. *Mol Cancer Ther* 2007; 6: 3071–9
79. Mao CG et al. Indole-3-carbinol inhibits nasopharyngeal carcinoma cell growth in vivo and in vitro through inhibition of the PI3K/Akt pathway. *Exp Ther Med* 2014; 8: 207–12
80. Rahman KM et al. Translocation of Bax to mitochondria induces apoptotic cell death in indole-3-carbinol (I3C) treated breast cancer cells. *Oncogene* 2000; 19: 5764–71
81. Sarkar FH, Li Y, Wang Z, Kong D. Cellular signaling perturbation by natural products. *Cell Signal* 2009; 21: 1541–7
82. Stewart ZA et al. Cell cycle dysregulation and anticancer therapy. *Trends Pharmacol Sci* 2003; 24: 139–45
83. Chinni SR et al. Indole-3-carbinol (I3C) induced cell growth inhibition, G1 cell cycle arrest and apoptosis in prostate cancer cells. *Oncogene* 2001; 20: 927–30
84. Gong Y et al. 3,3'-diindolylmethane is a novel mitochondrial H(+)-ATP synthase inhibitor that can induce p21 (Cip/ Waf1) expression by induction of oxidative stress in human breast cancer cells. *Cancer Res* 2006; 66: 4880–7
85. Vivar O et al. 3,39-Diindolylmethane induces a G (1) arrest in human prostate cancer cells irrespective of androgen receptor and p53 status. *Biochem Pharmacol* 2009; 78: 469–76
86. Rahman KM et al. Indole-3-carbinol (I3C) induces apoptosis in tumorigenic but not in nontumorigenic breast epithelial cells. *Nutr Cancer* 2003; 45: 101–12
87. Hientz K et al. The role of p53 in cancer drug resistance and targeted chemotherapy. *Oncotarget* 2017; 8: 8921–46
88. El-Kenawi A et al. The Immune Microenvironment and Cancer Metastasis. *Cold Spring Harb Perspect Med* 2020; 10(4): a037424
89. Asakage M et al. Sulforaphane induces inhibition of human umbilical vein endothelial cells proliferation by apoptosis. *Angiogenesis* 2006; 9: 83–91
90. Davis R et al. Sulforaphane inhibits angiogenesis through activation of FOXO transcription factors. *Oncol Rep* 2009; 22: 1473–8
91. Chang X et al. 3,3'-Diindolylmethane inhibits angiogenesis and the growth of transplantable human breast carcinoma in athymic mice. *Carcinogenesis* 2005; 26: 771–8

92. Kong D et al. Mammalian target of rapamycin repression by 3,3'-diindolylmethane inhibits invasion and angiogenesis in platelet-derived growth factor-D-overexpressing PC3 cells. *Cancer Res* 2008; 68: 1927–34
93. Kunimasa KT et al. Indole-3-carbinol suppresses tumor-induced angiogenesis by inhibiting tube formation and inducing apoptosis. *Biosci Biotechnol Biochem* 2008; 72: 2243–6
94. Rudzitis-Auth J et al. Indole-3-Carbinol Inhibits the Growth of Endometriotic Lesions by Suppression of Microvascular Network Formation. *Nutrients* 2022; 14(22): 4940
95. Fowke JH et al. Brassica vegetable consumption shifts estrogen metabolism in healthy postmenopausal women. *Cancer Epidemiol Biomarkers Prev* 2000; 9: 773–9
96. Moore SC et al. Endogenous Estrogens, Estrogen Metabolites, and Breast Cancer Risk in Postmenopausal Chinese Women. *J Natl Cancer Inst* 2016; 108(10): djw103
97. Gao X et al. Endocrine disruption by indole-3-carbinol and tamoxifen: blockage of ovulation. *Toxicol Appl Pharmacol* 2002; 183: 179–88
98. Minich DM, Bland JS. A review of the clinical efficacy and safety of cruciferous vegetable phytochemicals. *Nutr Rev* 2007; 65: 259–67
99. Michnovicz JJ, Bradlow HL. Altered estrogen metabolism and excretion in humans following consumption of indole-3-carbinol. *Nutr Cancer* 1991; 16: 59–66
100. Moiseeva EP et al. Extended treatment with physiologic concentrations of dietary phytochemicals results in altered gene expression, reduced growth, and apoptosis of cancer cells. *Mol Cancer Ther* 2007; 6: 3071–9
101. Cover CM et al. Indole-3-carbinol and tamoxifen cooperate to arrest the cell cycle of MCF-7 human breast cancer cells. *Cancer Res* 1999; 59: 1244–51
102. Cover CM et al. Indole-3-carbinol inhibits the expression of cyclin dependent kinase-6 and induces a G1 cell cycle arrest of human breast cancer cells independent of estrogen receptor signaling. *J Biol Chem* 1998; 273: 3838–47
103. Thomson CA et al. A randomized, placebo-controlled trial of diindolylmethane for breast cancer biomarker modulation in patients taking tamoxifen. *Breast Cancer Research and Treatment* 2017; 165(1): 97–107
104. Papoutsis AJ et al. Gestational exposure to the AhR agonist 2,3,7,8-tetrachlorodibenzo-p-dioxin induces BRCA-1 promoter hypermethylation and reduces BRCA-1 expression in mammary tissue of rat offspring: Preventive effects of resveratrol. *Mol Carcinog* 2015; 54: 261–69
105. Guarneri T. Aryl Hydrocarbon Receptor Connects Inflammation to Breast Cancer. *Int J Mol Sci* 2020; 21(15): 5264.nich
106. Kotsopoulos J et al. BRCA1 mRNA levels following a 4-6-week intervention with oral 3,3'-diindolylmethane. *Br J Cancer* 2014; 111(7): 1269–74

Medikamentöse Therapie in der Primärsituation des high-grade serösen Ovarialkarzinoms (s. 33–37)

F. Scheuerecker, B. Schmalfeldt

Literatur:

1. https://www.krebsdaten.de/Krebs/DE/Content/Krebsarten/Eierstockkrebs/eierstockkrebs_nnod.html, aufgerufen 16.03.23 Zentrum für Krebsregisterdaten

2. Harter P et al. Therapiequalität des fortgeschrittenen Ovarialkarzinoms in Deutschland. *Frauenarzt* 2020; 61(3): 182–88
 3. Torre LA et al. Ovarian cancer statistics, 2018. *CA Cancer J Clin* 2018; 68(4): 284–96
 4. du Bois A et al. Role of surgical outcome as prognostic factor in advanced epithelial ovarian cancer: a combined exploratory analysis of 3 prospectively randomized phase 3 multicenter trials: by the Arbeitsgemeinschaft Gynaekologische Onkologie Studiengruppe Ovarialkarzinom (AGO-OVAR) and the Groupe d'Investigateurs Nationaux Pour les Etudes des Cancers de l'Ovaire (GINECO). *Cancer* 2009; 115(6): 1234–44
 5. Piccart MJ et al. Randomized intergroup trial of cisplatin-paclitaxel versus cisplatin-cyclophosphamide in women with advanced epithelial ovarian cancer: three-year results. *J Natl Cancer Inst* 2000; 92(9): 699–708
 6. Burger RA et al. Incorporation of bevacizumab in the primary treatment of ovarian cancer. *N Engl J Med* 2011; 365(26): 2473–83
 7. Perren TJ et al. A phase 3 trial of bevacizumab in ovarian cancer. *N Engl J Med* 2011; 365(26): 2484–96
 8. Wild R et al. Carboplatin selectively induces the VEGF stress response in endothelial cells: potentiation of antitumor activity by combination treatment with antibody to VRGF. *Int J Cancer* 2004; 110(3): 343–51
 9. Pfisterer J et al. Optimal Treatment Duration of Bevacizumab as Front-Line Therapy for Advanced Ovarian Cancer: AGO-OVAR 17 BOOST/GINECO OV118/ENGOT Ov-15 Open-Label Randomized Phase III Trial. *J Clin Oncol* 2023; 41(4): 893–902
 10. Lord CJ, Ashworth A. PARP inhibitors: synthetic lethality in the clinic. *Science* 2017; 355: 1152–58
 11. Frey MK, Pothuri B. Homologous recombination deficiency (HRD) testing in ovarian cancer clinical practice: a review of the literature. *Gynecol Oncol Res Pract* 2017; 4: 4
 12. Moore K et al. Maintenance Olaparib in Patients with Newly Diagnosed Advanced Ovarian Cancer. *N Engl J Med* 2018; 379(26): 2495–505
 13. Di Silvestro P et al. Overall survival at 7-year follow-up in patients with newly diagnosed advanced ovarian cancer and a BRCA mutation who received maintenance olaparib in the SOLO1/GOG 3004 trial. *ESMO Congress 2022, Abstr. #5170*
 14. Gonzalez-Martin A et al. Niraparib in Patients with Newly Diagnosed Advanced Ovarian Cancer. *N Engl J Med* 2019; 381(25): 2391–402
 15. González-Martin A et al. PRIMA/ENGOT-OV26/ GOG-3012 study: Updated long-term PFS and safety. *ESMO Congress 2022, Abstr. #530P*
 16. Ray-Coquard I et al. Olaparib plus Bevacizumab as First-Line Maintenance in Ovarian Cancer. *N Engl J Med* 2019; 381(25): 2416–28
 17. Ray-Coquard I et al. Final overall survival results from the phase III PAOLA-1/ENGOT-ov25 trial evaluating maintenance olaparib plus bevacizumab in patients with newly diagnosed advanced ovarian cancer. *ESMO Congress 2022, Abstr. #LBA29*
 18. Monk BJ et al. Chemotherapy with or without avelumab followed by avelumab maintenance versus chemotherapy alone in patients with previously untreated epithelial ovarian cancer (JAVELIN Ovarian 100): an open-label, randomised, phase 3 trial. *Lancet Oncol* 2021; 22(9): 1275–89
 19. Moore KN et al. Atezolizumab, Bevacizumab, and Chemotherapy for Newly Diagnosed Stage III or IV Ovarian Cancer: Placebo-Controlled Randomized Phase III Trial (IMagyn050/GOG 3015/ENGOT-OV39). *J Clin Oncol* 2021; 39(17): 1842–55
-

Das hepatozelluläre Karzinom (HCC): Leitliniengerechte interventionelle Therapieoptionen (S. 45–50)

T. J. Vogl, K. Eichler, W. Bechstein, S. Zeuzem, H. Adwan

Literatur:

1. Sung H et al. Global Cancer Statistics 2020: GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries. *CA Cancer J Clin* 2021; 71(3): 209–49
2. Villanueva A. Hepatocellular Carcinoma. *N Engl J Med* 2019; 380(15): 1450–62
3. Forner A et al. Hepatocellular carcinoma. *Lancet* 2018; 391: 1301–14
4. Choi JY et al. CT and MR imaging diagnosis and staging of hepatocellular carcinoma: part II. Extracellular agents, hepatobiliary agents, and ancillary imaging features. *Radiology* 2014; 273(1): 30–50
5. Bruix J & Sherman M. Practice Guidelines Committee. Management of hepatocellular carcinoma. *Hepatology* 2005; 42(5): 1208–36
6. Huang JY et al. Diagnostic Accuracy of CEUS LI-RADS for the Characterization of Liver Nodules 20 mm or Smaller in Patients at Risk for Hepatocellular Carcinoma. *Radiology* 2020; 294(2): 329–39
7. Goode JA & Matson MB. Embolisation of cancer: what is the evidence? *Cancer Imaging* 2004; 4(2): 133–141
8. Vogl TJ & Gruber-Rouh T. HCC: Transarterial Therapies – What the Interventional Radiologist Can Offer. *Dig Dis Sci* 2019; 64(4): 959–67
9. Lencioni R et al. Lipiodol transarterial chemoembolization for hepatocellular carcinoma: A systematic review of efficacy and safety data. *Hepatology* 2016; 64(1): 106–16
10. Llovet JM et al. Hepatocellular Carcinoma. *Nat Rev* 2021; 7: 1–28
11. Mahnken AH. Transarterielle ablative Therapien des hepatozellulären Karzinoms. *Radiologe* 2014; 54: 685–93
12. Brown AM et al. TACE versus TARE for patients with hepatocellular carcinoma: Overall and individual patient level meta analysis. *Meta-Analysis Cancer Med* 2023; 12(3): 2590–9
13. Ai-Xue Sun et al. Clinical outcome of medium-sized hepatocellular carcinoma treated with microwave ablation. *World Journal of Gastroenterology* 2015; 21: 2997–3004
14. Adwan H et al. Percutaneous Thermal Ablation Therapy of Hepatocellular Carcinoma (HCC): Microwave Ablation (MWA) versus Laser-induced Thermoablation (LITT). *Diagnostics* 2022; 12: 564
15. Du S. Comparisons of recurrence-free survival and overall survival between microwave versus radiofrequency ablation treatment for hepatocellular carcinoma: A multiple centers retrospective cohort study with propensity score matching. *PLoS One* 2020; 15(1): e0227242
16. Suwa K et al. Efficacy of microwave ablation versus radiofrequency ablation for hepatocellular carcinoma: a propensity score analysis. *Abdom Radiol (NY)* 2021; 46(8): 3790–7
17. Kuroda H et al. Comparing the Safety and Efficacy of Microwave Ablation Using Thermosphere™ Technology versus Radiofrequency Ablation for Hepatocellular Carcinoma: A Propensity Score-Matched Analysis. *Cancers (Basel)* 2021; 13(6): 1295

18. Vogl TJ et al. Ablation therapy of hepatocellular carcinoma: a comparative study between radiofrequency and microwave ablation. *Abdom Imaging*. 2015; 40(6): 1829–37
19. Abdelaziz A et al. Efficacy and survival analysis of percutaneous radiofrequency versus microwave ablation for hepatocellular carcinoma: an Egyptian multidisciplinary clinic experience. *Surg Endosc* 2014; 28(12): 3429–34
20. Lu MD et al. Percutaneous microwave and radiofrequency ablation for hepatocellular carcinoma: a retrospective comparative study. *J Gastroenterol* 2005; 40(11): 1054–60
21. Vogl TJ et al. Interventional oncological treatment of hepatocellular carcinoma (HCC) – A single-center long-term evaluation of thermoablation techniques like LITT, MWA, and TACE in a multimodal application over 26 years. *Heliyon* 2023, Mar 20; 9(4):e14646